

164
January 19, 1994

Memo to the File:

Subject: Process/Waste Code RCRIS Updates/Changes

Per the attached request from Bob Stewart, RCRA Branch, and MDNR, the RCRIS Missouri Regional database process/waste code information was updated in sources S, E, and A (if a source A existed in the database) for the facilities listed.

If source A did not exist for the facility, source E and S were updated only.

Janet Hallier



R00148154
RCRA RECORDS CENTER

Janice,

1/12/94

The following data elements were identified as errors when MDNR and EPA reviewed the NCAPS rankings in Jeff City Dec 14-15. Both parties agreed to these changes at the meeting, and there's no need for change forms on these items. Please make these changes before the merge tomorrow night.

Bob Stewart

ID NUMBER	NAME	FROM	TO
		Waste Code = NONE	F001
		Unit = T03 S01 capac=4000 G S02 capac=4400 G	delete T03 1 Gallon 1 gallon
		Unit = S04	delete S04
		Capacity of S04 = 1 Gallon	2,300,000 gallons
		Unit = S03	delete S03
		<u>D80 waste code</u> <u>=D000</u> S02 capacity = 80,100 G	<u>change to</u> <u>F006</u> 1 gallon
		waste code =K062 unit code= S04	D008 D83
		unit code = S02 S01 waste=NONE	delete S02 = F001
		Unit = T03	delete T03
		add T03 unit, 1 gallon per hour, waste=K069	
		<u>Unit =S04</u> Add S01 unit, 37,000 gallons, F001 waste	<u>D83</u>
		waste code=NONE	F001
		S01 capacity=1 G S02 capacity=1 G	1,100,000 G 30,000 G
		add S04, 1 gallon, D008	

		S02 capac=1 G	48,000 G
		unit = T03 S01 waste = D000	delete T03 K048
		unit = D79 <u>add S01, 17,511 G</u> <u>D001</u>	delete D79
		S01 capac= 1 G S02 capac= 1 g T01 capac= 1 G	7920 G 50,000 G 50,000 G/d
		<u>add T03</u> <u>unverified, 44 G</u> <u>per minute, F001</u> S01 waste=none	F001
<u>MOD0000818963</u>	McDonnell Dgl	unit = S03	delete S03
		S01 capac=1 G S02 capac= 1G	9900 G 27,000 G
		unit = S04 T02 capac= blank T02 waste=K062	delete S04 1 Gallon D008
		add T04, D001, 200 pounds/hr	
		waste code=NONE	F006
		unit = T01 unit = T03 unit = T04 S01 waste= D000	delete T01 delete T03 delete T04 P001
		D80 waste = D002 <u>change unit T03</u> <u>to T04, D008,same</u> <u>capacity</u>	D008
		S01 capac= 1 G S02 capac= 1 G	2860 G 8800 G
		unit = T04	delete T04
		unit = D81 unit = S04 T04 waste = U230 T01 waste = U230	delete D81 delete S04 F027 F027
		D80 waste = NONE unit = S04	F001 D83

		S01 capac=1 G S01 waste=D000 T04 waste=D000	2900 g D001 D003
		unit = T04	delete T04
		add D83, 1 gallon F006	
		add S01, 500 G, F003 add T04, F003, 116 lb/hr	
		S01 capac=5000 G T01 capac=8000 G	1 gallon 1 gal/day
		unit = D80 T02 capac=70000	delete D80 1 gal/day
		T04 capac =1	650 gal/day
		S01 capac=100 G T01 capac=20 gpd	1 G 1 gpd
		add T03, .05 tons per hr, D008	

Janet -

Attached is copy of the
new revised list of changes
from RLS.

I put a copy in DPA's
basket + called Colleen
so she knows it is there.

Any Q's call.

JM Snyder

1/11/93